

**SECTION 1 IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING** \*

**1.1. Product identifier**

Product name : BENEGAS AUTOGAS (LPG)  
Product code : Ben-006  
UFI : 9C00-M058-8008-AF7U

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Application : SU22 Professional use. Institutional use. SU3 Industrial uses. PC13 Fuels for vehicles and machinery.

**1.3. Details of the supplier of the safety data sheet**

Supplier : Benegas B.V.  
Zuiderzeestraatweg 1  
3882 NC Putten, The Netherlands  
Telephone : +31 341 723350  
E-mail : info@benegas.com  
Website : www.benegas.com

**1.4. Emergency telephone number**

EMERGENCY TELEPHONE NUMBER, for DOCTORS/FIRE BRIGADE/POLICE only:  
NL - Telephone : +31 341 723350 (24/7)

**SECTION 2 HAZARDS IDENTIFICATION** \*

**2.1. Classification of the substance or mixture**

CLP classification : Flammable gas, category 1A. Gases under pressure: Liquefied gas.  
(1272/2008/EC)

**2.2. Label elements**

Label elements ((EU) 1272/2008):

Hazard pictograms :



Signal word : Danger

H- and P-phrases : H220 Extremely flammable gas.  
H280 Contains gas under pressure; may explode if heated.  
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P377 Leaking gas fire: Do not extinguish, unless leak can be stopped safely.  
P381 In case of leakage, eliminate all ignition sources.  
P403 Store in a well-ventilated place.

**2.3. Other hazards**

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



Other information : Does not contain PBT or vPvB substances. Human health: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605. Environment: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS \*

### 3.2. Mixtures

Product description : Mixture.

Information on hazardous substances:

| Substance name                                | Concentration (w/w) (%) | CAS nr.    | EC number | Remark | REACH nr. |
|---|-------------------------|------------|-----------|--------|-----------|
| Propane                                       | 50 - 75                 | 74-98-6    | 200-827-9 |        |           |
| Hydrocarbons, C3-4-rich, petroleum distillate | 25 - < 50               | 68512-91-4 | 270-990-9 |        |           |

| Substance name                                | Hazard Class             | H-phrases  | Pictograms   |  |
|---|--------------------------|------------|--------------|--|
| Propane                                       | Flam. Gas 1A; Press. Gas | H220; H280 | GHS02; GHS04 |  |
| Hydrocarbons, C3-4-rich, petroleum distillate | Flam. Gas 1A; Press. Gas | H220; H280 | GHS02; GHS04 |  |

[1] Non classified substance for which a legal or recommended limit value applies. Occupational exposure limit(s), if relevant, are listed in section 8.

Reference is made to chapter 16 for full text of each relevant H phrase.

## SECTION 4 FIRST-AID MEASURES \*

### 4.1. Description of first aid measures

First aid measures

- Inhalation : Move victim into fresh air. Consult a doctor if victim feels unwell.  
Skin contact : In the event of frostbite, rinse copiously with water. In the event of frostbite, rinse copiously with water. Consult a doctor in case burns or irritation occur.  
Eye contact : Wash out with (lukewarm) water. Remove contact lenses. Consult a doctor if irritation persists.  
Ingestion : Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Effects and symptoms

- Inhalation : May cause headache, dizziness and a feeling of sickness.  
Eye contact : May cause stinging of eyes and redness.  
Ingestion : Not applicable.

### 4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians : None known.

## SECTION 5 FIRE-FIGHTING MEASURES

### 5.1. Extinguishing media

Extinguishing media

- Suitable : Do not attempt to extinguish burning gas. If possible shut off the gas supply. Let the fire burn out.

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



Not suitable : Water jet. Use of heavy stream of water may spread fire.

## 5.2. Special hazards arising from the substance or mixture

Special exposure hazards : Closed container may rupture if strongly heated. Unless equipped with release valve. Use water spray to cool containers exposed to heat.  
Hazardous thermal decomposition and combustion products : Carbon monoxide may be evolved if incomplete combustion occurs.

## 5.3. Advice for firefighters

Special protective equipment for fire-fighters : Use adequate respiratory equipment in case of insufficient ventilation.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

\*

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Provide good ventilation. Avoid contact with spilled or released material. Keep away from sources of ignition — No smoking. Vapour may form an explosive mixture with air. Vapours are heavier than air. Build up (of gasses) in low areas involves risk of suffocation.

### 6.2. Environmental precautions

Environmental precautions : Note the wind direction in which the gas is being dispersed. Avoid the formation of a gas cloud.  
Other information : Notify authorities if any exposure to the general public or the environment occurs or is likely to occur.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Not applicable.

### 6.4. Reference to other sections

Reference to other sections : See also section 8.

## SECTION 7 HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Handling : Handle in accordance with good occupational hygiene and safety practices in well-ventilated areas. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Do not breathe vapour. Avoid contact with eyes and unnecessary contact to skin.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage : Keep in a cool, dry and well-ventilated place (< 35 °C). Protect from sunlight. Keep away from oxidizing agents. Use only in well-ventilated areas. Do not expose gas cylinders with this product to temperatures exceeding 50°C. Use only in ATEX areas.  
Recommended packaging : Keep only in the original container.  
Non recommended packaging : PE and PP.

### 7.3. Specific end use(s)

Use : Use only as directed.

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



## SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION \*

### 8.1. Control parameters

Occupational exposure limits : Occupational exposure limits have not been established for this product. Derived no-effect levels (DNEL) have not been established for this product. Predicted no-effect concentrations (PNEC) have not been established for this product.

Workplace exposure limits (mg/m<sup>3</sup>):

| Chemical name                                 | Country | TWA 8 hour (mg/m <sup>3</sup> ) | STEL 15 min (mg/m <sup>3</sup> ) | Comments   | Source                   |
|---|---------|---------------------------------|----------------------------------|------------|--------------------------|
| Propane                                       |         | 1800                            | -                                |            | MAC: BG, PL, CH, SL, etc |
| Hydrocarbons, C3-4-rich, petroleum distillate |         |                                 |                                  | asphyxiant | MSDS Exxon Propellant    |
| Butane  | GB      | 1450                            | 1810                             |            | MAC: UK                  |
| Isobutane                                     |         | 1450                            | 1810                             |            | MAC: FI, BE, CH          |
|   |         | 1900                            | 2400                             |            |                          |

### 8.2. Exposure controls

Engineering measures : Use only in well-ventilated areas. Comply with standard precautionary measures for working with chemicals.

Hygienic measures : When using do not eat, drink or smoke.

Personal protective equipment:

The efficiency of personal protective equipment depends among other things on temperature and degree of ventilation. Always get professional advice for the particular local situation.

Body protection : Use of specific protective industrial clothing is not required under normal conditions of use.

Respiratory protection : Take care of sufficient ventilation. Wear suitable respiratory protection in case of large scale exposure. Suitable: gas filter type A (brown), class I or higher on e.g. a facemask in accordance with EN 140.

Hand protection : Insulating gloves.

Eye protection : Wear appropriate safety glasses when there is danger of possible eye contact.

Environmental exposure controls : Avoid release to the environment.

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES \*

### 9.1. Information on basic physical and chemical properties

|   |                        |  |
|---|------------------------|--|
| Physical state                          | : Gas.                 | Gas condensed to liquid.                 |
| Colour                                  | : Colourless.          |  |
| Odour                                   | : Odourless.           |  |
| Odour threshold                         | : Not applicable.      | Odourless.                               |
| pH                                      | : Not applicable.      | Gas.                                     |
| Solubility in water                     | : Not soluble.         |  |
| Partition coefficient (n-octanol/water) | : Not applicable.      | Not measured. Not relevant for mixtures. |
| Flash point                             | : -70 °C               |  |
| Flammability                            | : Extremely flammable. |  |
| Auto ignition temperature               | : 460 °C               |  |
| Boiling point/boiling range             | : -43 °C               |  |
| Melting point/melting range             | : < -60 °C             |  |
| Explosive properties                    | : Not explosive.       |  |
| Explosion limits (% in air)             | : 2,2 - 10             |  |

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



Oxidising properties : Not applicable. Does not contain oxidizing substances.  
Decomposition temperature : Not applicable.  
Viscosity (20°C) : Not applicable.  
Viscosity (40°C) : Not applicable.  
Vapour pressure (20°C) : 750000 Pa  
Relative vapour density : Not known (air = 1)  
Relative density (20°C) : 0,51 g/ml  
Particle characteristics : Not applicable. Liquid.

## 9.2. Other information

Other information : Not relevant.

## SECTION 10 STABILITY AND REACTIVITY

### 10.1. Reactivity

Reactivity : See sub-sections below.

### 10.2. Chemical stability

Stability : Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reactivity : No other hazardous reactions known.

### 10.4. Conditions to avoid

Conditions to avoid : See section 7.

### 10.5. Incompatible materials

Materials to avoid : Keep away from oxidizing agents.

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Not known.

## SECTION 11 TOXICOLOGICAL INFORMATION

\*

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological research has been carried out on this product.

#### Inhalation

Acute toxicity : Calculated LC50: > 10 mg/l. Ingredients of unknown toxicity: < 1 %. ATE: > 5 mg/l. Low toxicity. Not classified - based on available data, the classification criteria are not met. May cause headache, dizziness and a feeling of sickness.  
Corrosion/irritation : Not classified - based on available data, the classification criteria are not met.  
Sensitisation : Does not contain substances classified as respiratory sensitiser. Not classified - based on available data, the classification criteria are not met.  
Carcinogenicity : Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.  
Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.

#### Skin contact

Acute toxicity : Calculated LD50: no data mg/kg.bw. Ingredients of unknown toxicity: 35 %. ATE: > 5000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



- Corrosion/irritation : Prolonged contact may dry out and defat the skin. Not classified - based on available data, the classification criteria are not met.
- Sensitisation : Does not contain skin sensitisers. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Eye contact
- Corrosion/irritation : Slight irritation possible. Not classified - based on available data, the classification criteria are not met.
- Ingestion
- Acute toxicity : Calculated LD50: 2000 mg/kg.bw. Ingredients of unknown toxicity: 35 %. ATE: > 2000 mg/kg.bw. Low toxicity. Not classified - based on available data, the classification criteria are not met.
- Target organ toxicity (SE) : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.
- Target organ toxicity (RE) : No specific effects and/or symptoms are known. Not classified - based on available data, the classification criteria are not met.
- Aspiration : Not classified - based on available data, the classification criteria are not met. Does not contain substances with an aspiration hazard.
- Corrosion/irritation : Aerosol or mist: Ingestion is unlikely to occur. No specific effects and/or symptoms are known.
- Carcinogenicity : Aerosol or mist: Ingestion is unlikely to occur. Not expected to be carcinogenic. Not classified - based on available data, the classification criteria are not met.
- Mutagenicity : Aerosol or mist: Ingestion is unlikely to occur. Not expected to be mutagenic. Not classified - based on available data, the classification criteria are not met.
- Reprotoxicity : Aerosol or mist: Ingestion is unlikely to occur. Development: Not expected to be reprotoxic. Development: Not classified - Based on available data, the classification criteria are not met. Fertility: not expected to be reprotoxic. Fertility: Not classified - based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

- Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties.
- Other information : Not applicable.

## SECTION 12 ECOLOGICAL INFORMATION

\*

### 12.1. Toxicity

No ecotoxicological research has been carried out on this product.

- Ecotoxicity : Calculated LC50 (fish): 68 mg/l. Calculated EC50 (waterflea): 101538 mg/l. Contains 0 % of components with unknown hazards to the aquatic environment. Not classified - based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Persistence – degradability : No specific information known.

### 12.3. Bioaccumulative potential

Bioaccumulative potential : No specific information known.

### 12.4. Mobility in soil

Mobility : Not applicable Adsorbs to soil and has low mobility. Floats on water. Evaporates.

### 12.5. Results of PBT and vPvB assessment

PBT/vPvB assessment : Does not contain PBT or vPvB substances.

**12.6. Endocrine disrupting properties**

Endocrine disrupting properties : This product does not contain components considered to have endocrine disrupting properties.

**12.7. Other adverse effects**

Other adverse effects : Not applicable.

**SECTION 13 DISPOSAL CONSIDERATIONS**

**13.1. Waste treatment methods**

Product residues : Do not dispose empty pack with waste produced by households. Containers should be recycled or re-used. Treat product residues and non-empty pack as hazardous waste.

Additional warning : Residues may cause an explosion hazard. Do not puncture, cut or weld uncleaned drums.

Waste water discharge : Avoid discharge of waste water arising from tank cleaning to the environment.

European waste catalogue : Dispose hazardous waste in accordance with Directive 91/689/EEC under acknowledgement of a waste code according to Commission Decision 2000/532/EC to an official chemical waste depot.

Local legislation : Disposal should be in accordance with applicable regional, national, and local laws and regulations. Local regulations may be more stringent than regional or national requirements and must be complied with.

**SECTION 14 TRANSPORT INFORMATION**

**14.1. UN number or ID number**

UN nr. : UN 1965

**14.2. UN proper shipping name**

Transport name : HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. ( PROPANE ; Hydrocarbons, C3-4-rich, petroleum distillate )

Transport name (IMDG, IATA) : HYDROCARBON GAS MIXTURE, LIQUEFIED, N.O.S. ( Propane ; Hydrocarbons, C3-4-rich, petroleum distillate )

**14.3/14.4/14.5. Transport hazard class(es)/Packing group/Environmental hazards**

ADR/RID/ADN (road/railway/inland waterways)

Class : 2  
Classification code : 2F  
Packaging group : -  
Danger label : 2,1  
Tunnel restriction code : B/D



Other information : Not intended for carriage by tank-vessels on inland waterways.

IMDG (sea)

Class : 2  
Packaging group : -  
EmS (fire / spill) : F - D / S - U  
Marine pollutant : No

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



IATA (air)  
Class : 2  
ERG code : 10L

## 14.6. Special precautions for user

Other information : Country specific variations may apply. For the transport of this product there is no "Limited Quantity" exemption applicable.

## 14.7. Maritime transport in bulk according to IMO instruments

Marpol : Not intended to be carried in bulk according to International Maritime Organisation (IMO) instruments. Packaged liquids are not considered bulk.

## SECTION 15 REGULATORY INFORMATION

\*

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Community regulations : Regulation (EU) No 2020/878 (REACH), Regulation (EC) No 1272/2008 (CLP) and other regulations. Directive 2008/98/EC (waste).

PIC Regulation : Does not contain substances listed on the PIC list (Regulation EU 649/2012).

POP Regulation : Does not contain substances listed on the POP list (Regulation EU 2019/1021).

Ozone Regulation : Does not contain substances listed on the Ozone Depletion list (Regulation EU 1005/2009).

Explosives Precursors Regulation : Does not contain substances listed on the Explosives Precursors list (Regulation EU 2019/1148).

Drug Precursors Regulation : Does not contain substances listed on the Drug Precursors list (Regulation EC 273/2004).

SEVESO III Directive 2012/18/EU

Hazard code : P2

Hazard category : Flammable gasses

Qualifying quantity (tonnes) - lower : 10

Qualifying quantity (tonnes) - upper : 50

### 15.2. Chemical safety assessment

Chemical safety assessment : A Chemical Safety Assessment has not been carried out.

## SECTION 16 OTHER INFORMATION

\*

### 16.1. Other information

The information in this safety data sheet is compiled in compliance with Regulation (EU) No 2020/878 dated 18 June 2020 and accurate to the best of our knowledge and experience at the date of issue specified. It is the user's obligation to use this product safely and to comply with all applicable laws and regulations concerning the use of the product. This safety data sheet complements the technical information sheets but does not replace them and offers no warranty with regard to product properties.

Users are also forewarned for any hazards involved when the product is used for other purposes than those for which it is designed.

Changed or new information with regard to the previous release is indicated with an asterisk (\*).

List of abbreviations and acronyms that could be used (but not necessarily are used) in this safety data sheet:

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE : Acute Toxicity Estimate

CLP : Classification, Labeling & Packaging

# SAFETY DATA SHEET

According to Regulation (EU) No 2020/878



|           |   |
|-----------|---|
| CMR       | : Carcinogenic, Mutagenic or toxic for Reproduction   |
| EEC       | : European Economic Community   |
| GHS       | : Globally Harmonized System of Classification and Labelling of Chemicals                                       |
| IATA      | : International Air Transport Association   |
| IBC code  | : The IMO International Code for construction and equipment of ships carrying dangerous chemicals in bulk.      |
| IMDG      | : International Maritime Dangerous Goods Code   |
| LD50/LC50 | : Lethal Dose/Concentration for 50% of a population   |
| MAC       | : Maximum Allowable Concentration   |
| MARPOL    | : International Convention for the Prevention of Pollution From Ships   |
| NO(A)EL   | : No Observed (Adverse) Effect Level  |
| OECD      | : Organisation for Economic Co-operation and Development  |
| PBT       | : Persistent, Bioaccumulative and Toxic   |
| PC        | : Chemical product category   |
| PIC       | : The Prior Informed Consent procedure for the import and export of certain hazardous chemicals and pesticides. |
| POP       | : Persistent organic pollutants   |
| PT        | : Product type  |
| REACH     | : Registration, Evaluation, Authorisation and Restriction of Chemicals  |
| RID       | : Regulations concerning the International Carriage of Dangerous Goods by Rail                                  |
| STP       | : Sewage Treatment Plant  |
| SU        | : Sector of Use   |
| TWA/STEL  | : Time-Weighted Average/Short Term Exposure Limit   |
| UN        | : United Nations  |
| UFI       | : Unique formula identifier   |
| VOC       | : Volatile Organic Compounds  |
| vPvB      | : Very Persistent and Very Bioaccumulative  |

Key data used to compile the Safety Data Sheet are from, but not limited to, one or more sources of information e.g. toxicological data from material suppliers, CONCAWE, IFRA, CESIO, Regulation EG 1272/2008, etc.

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008:

|             |                     |
|-------------|---------------------|
| Flam. Gas 1 | : Expert judgement. |
| Liq. Gas    | : Expert judgement. |

Full text of hazard classes mentioned in section 3:

|             |                              |
|-------------|------------------------------|
| Flam. Gas 1 | : Flammable gas, category 1. |
| Press. Gas  | : Gases under pressure.      |

Full text of H-phrases mentioned in section 3:

|      |   |
|------|---|
| H220 | Extremely flammable gas.                            |
| H280 | Contains gas under pressure; may explode if heated. |

Advice on any training appropriate for workers: none.

|                         |                                  |
|-------------------------|----------------------------------|
| Country / Language code | : EC / EN                        |
| Number format           | : "," used as decimal separator. |

---

End of safety data sheet.